

SAFETY DATA SHEET

In accordance with 1907/2006 annex II and 1272/2008

(All references to EU regulations and directives are abbreviated into only the numeric term)

Revision date 2026-09-15

Replaces SDS issued 2026-05-06

Version number 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	ABNET PRO ECO
UFI:	2PTG-V82A-2VIN-WGWP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Surface cleaner
-----------------	-----------------

1.3. Details of the supplier of the safety data sheet

Company	ieasysystem North AB Generatorgatan 12 195 60 Arlandastad Sweden
Telephone	+46 8 408 909 00
E-mail	hello@ieasy.se
Website	www.ieasy.se

1.4. Emergency telephone number

Phone number for emergencies: 999 or 112. The numbers are available 24/7.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Irrit. 2, H315

Eye Dam. 1, H318

(See section 16)

2.2. Label elements

Hazard pictogram



Signal word	Danger
Hazard statements	
H315	Causes skin irritation
H318	Causes serious eye damage
Precautionary statements	
P101	If medical advice is needed, have product container or label at hand
P102	Keep out of reach of children
P280	Wear protective gloves, eye or face protection
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310	Immediately call a POISON CENTER

Supplemental hazard information

Contains: FATTY ALCOHOL ETHOXYLATE

2.3. Other hazards

This product does not contain any substances that are assessed to be a PBT or a vPvB.

The product does not contain any substances identified as having endocrine disruptive properties in accordance with the criteria set out in (EU) 2017/2100 or (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Note that the table shows known hazards of the ingredients in pure form. These hazards are reduced or eliminated when mixed or diluted, see Section 16d.

Constituent	Classification	Concentration
FATTY ALCOHOL ETHOXYLATE		
CAS No: 61827-42-7 EC No: 612-519-5	Acute Tox. 4, Eye Dam. 1; H302, H318	≥2.5 - <10 %
QUATERNARY C12-14 ALKYL METHYL AMINE ETHOXYLATE METHYL CHLORIDE		
CAS No: 1554325-20-0 EC No: 810-152-7	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1; H302, H315, H318	<2.5 %
SODIUM HYDROXIDE		
CAS No: 1310-73-2 EC No: 215-185-5 Index No: 011-002-00-6 REACH: 01-2119457892-27	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290, H314, H318 <i>Specific concentration limits and acute toxicity estimates (ATE):</i> <i>Skin Corr. 1A, H314: $C \geq 5 \%$</i> <i>Skin Corr. 1B, H314: $2 \leq C < 5 \%$</i> <i>Skin Irrit. 2, H315: $0,5 \leq C < 2 \%$</i> <i>Eye Irrit. 2, H319: $0,5 \leq C < 2 \%$</i>	<2 %

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complements used in the calculation of the classification of this mixture, see Section 16b.

Contents according to 648/2004.

<5% Anionic surfactants.

<5% Cationic surfactants.

5-<15% Non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

Generally

In case of concern, or if symptoms occur, call a doctor/physician.

Never attempt to administer liquid, or anything else, to an unconscious person via the mouth.

Upon breathing in

Fresh air and rest. If symptoms persist seek medical advice.

Upon eye contact

Remove contact lenses immediately if possible.

Rinse immediately with tepid water for 15 - 20 minutes with eyes wide open. Immediately transport the injured person to a hospital.

Important! Also flush during transport to hospital (eye specialist).

Upon skin contact

Remove contaminated clothes.

Wash the skin with soap and water.

If symptoms occur, contact a physician.

Upon ingestion

Rinse nose, mouth and throat with water.

Do NOT give food or drink.

Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Upon eye contact

Causes serious eye damage.

Upon skin contact

Irritant to skin.

Upon ingestion

May cause irritation of mucous membranes, nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Upon contact with a doctor, make sure to have the label or this safety data sheet with you.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Extinguish with water mist.

5.2. Special hazards arising from the substance or mixture

Produces fumes containing harmful gases (carbon monoxide and carbon dioxide) when burning.

5.3. Advice for firefighters

Protective measures to be taken with regard to other materials at the scene of the fire.

In case of fire use proper breathing apparatus.

Wear full protective clothing.

Cool closed containers that were exposed to fire with water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized and unprotected people at a safe distance.

Note that there is a risk of slipping if product is leaking/spilling.

Avoid inhalation and exposure to skin and eyes.

Ensure good ventilation.

Use recommended safety equipment, see section 8.

6.2. Environmental precautions

Avoid release to drains, soil or watercourses.

6.3. Methods and material for containment and cleaning up

Use neutralizing agent.

Absorb the liquid with an inert absorbent, vermiculite, for example. Collect the material for disposal at a waste disposal facility.

Clean the area with appropriate detergent, do not use solvents.

Rinse area thoroughly with water.

6.4. Reference to other sections

See section 8 and 13 for personal protection equipment and disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Take the necessary preventive and protective measures for safe handling.
Avoid inhalation and contact with skin and eyes.
Work in order to avoid spillage. If spillage does occur, address it immediately in accordance with the directions specified in Section 6 of this safety data sheet.
Store this product separately from food items and keep it out of the reach of children and pets.
Do not eat, drink or smoke in premises where this product is handled.
Wash your hands after using the product.
Remove contaminated clothing.
Wash contaminated clothing before reuse.
Keep away from incompatible products.
Use recommended safety equipment, see section 8.
Implement appropriate engineering controls if necessary, see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored in a manner which prevents hazards to health and the environment. Avoid exposure to humans and animals and do not discharge the product in a sensitive environment.
Take the necessary preventive and protective measures for safe storage.
Keep out of reach for children.
To be stored away from food and animal fodder and away from devices or surfaces that are in contact with those items.
Store in the original packaging or in containers of the same material.
Always use sealed and visibly labeled packages.
Store in containers of polyethylene.
Do not store in metal containers.
Store in dry and cool area.
Stored free from frost.
Store in a well-ventilated space.
Do not store close to incompatible materials (see section 10.5).

7.3. Specific end use(s)

See identified uses in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values

SODIUM HYDROXIDE

United Kingdom (EH40/2005)

Short term exposure limit (STEL) 2 mg/m³

DNEL

SODIUM HYDROXIDE

	Type of exposure	Route of exposure	Value
Worker	Chronic Local	Inhalation	1 mg/m ³
Consumer	Chronic Local	Inhalation	1 mg/m ³

PNEC

SODIUM HYDROXIDE

Environmental protection target	PNEC value
Fresh water	5 mg/L
Microorganisms in sewage treatment	500 mg/L
Intermittent	19 mg/L

8.2. Exposure controls

The risks posed by the product or its constituents must be considered in the task specific risk assessment, in accordance with current working environment legislation. The risk assessment should be reviewed regularly and updated if necessary.

8.2.1. Appropriate engineering controls

The ventilation in the workplace must ensure an air quality that meets the requirements of the current working environment legislation. Local exhaust ventilation should be used to remove airborne contaminants at the source. Eye-rinsing facilities shall be available at the workplace.

8.2.2. Individual protection measures, such as personal protective equipment

Eye/face protection

Use protective glasses with tight seals according to standard EN166.
When spraying, use a visor according to standard EN166.

Skin protection

Use suitable protective clothing.
Use protective gloves fulfilling the standard EN374 if there is a risk of direct contact.
During continuous contact use gloves with a minimum breakthrough time of at least 240 minutes, preferably over 480 minutes.
The most suitable protective glove should be chosen in consultation with the glove supplier, taking into account the risk assessment for the specific task and the properties of the chemicals involved. Note that the breakthrough time of the material is affected by the duration of the exposure, temperature conditions, abrasion, etcetera.
Based on the chemical properties of the product, the following glove materials are recommended (EN 374):.
– Polyvinyl chloride PVC.

Respiratory protection

Use appropriate respiratory protective equipment in case of insufficient ventilation.
The most appropriate respiratory protective equipment should be decided in consultation with the appointed safety representative, taking into account the risk assessment for the specific task.
Based on the physical and chemical properties of the product, the following filter type(s) and/or filter combination(s) are recommended:.
– A/P2.

8.2.3. Environmental exposure controls

For limiting environmental exposure, see section 12.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(a) Physical state	liquid
(b) Colour	Form: liquid
(c) Odour	yellow-transparent
(d) Melting point/freezing point	characteristic
(e) Boiling point or initial boiling point and boiling range	Not indicated
(f) Flammability	Not indicated
(g) Lower and upper explosion limit	Not indicated
(h) Flash point	Not indicated
(i) Auto-ignition temperature	Not indicated
(j) Decomposition temperature	Not indicated
(k) pH	In working solution the pH value is: 10.2 - 11
(l) Kinematic viscosity	<7 mm ² /s (40°C)
(m) Solubility	Solubility in water: Soluble
(n) Partition coefficient n-octanol/water (log value)	Not indicated
(o) Vapour pressure	Not indicated
(p) Density and/or relative density	>1 Water = 1
(q) Relative vapour density	Not indicated
(r) Particle characteristics	Not indicated

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not indicated

9.2.2. Other safety characteristics

Not indicated

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with acids.

10.2. Chemical stability

The product is stable at normal storage and handling conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known during normal use.

10.4. Conditions to avoid

Avoid frost.

10.5. Incompatible materials

Avoid contact with acids.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on possible health hazards are based on experience and / or toxicological properties of several components in the product.

Acute toxicity

The product is not classified as acutely toxic.

FATTY ALCOHOL ETHOXYLATE

LD50 rat 24h: > 1140 mg/kg Orally

QUATERNARY C12-14 ALKYL METHYL AMINE ETHOXYLATE METHYL CHLORIDE

LD50 rat 24h: 833 mg/kg Orally

Skin corrosion/irritation

Irritant to skin.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

The product is not classified as sensitising.

Germ cell mutagenicity

The product is not classified as mutagen.

Carcinogenicity

The product is not classified as carcinogenic.

Reproductive toxicity

The product is not classified as a reproductive toxicant.

STOT-single exposure

The product is not classified for specific organ toxicity after single exposure.

STOT-repeated exposure

The product is not classified for specific organ toxicity after repeated exposure.

Aspiration hazard

The product is not classified as being toxic for aspiration.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

The product does not contain any substances identified as having endocrine disruptive properties in accordance with the criteria set out in (EU) 2017/2100 or (EU) 2018/605.

11.2.2. Other information

Not indicated.

SECTION 12: Ecological information

12.1. Toxicity

The product is not to be labelled as a environmental hazard. However, it is not inconceivable that large emissions, or repeated small emissions, can have a harmful effect on the environment.

Prevent release on land, in water and drains.

FATTY ALCOHOL ETHOXYLATE

LC50 Freshwater water flea (*Daphnia magna*) 48h: 1 - 100 mg/L

LC50 Ide (*Leuciscus idus*) 96h: 1 - 10 mg/L

QUATERNARY C12-14 ALKYL METHYL AMINE ETHOXYLATE METHYL CHLORIDE

LC50 Fish 96h: 1 - 100 mg/l

SODIUM HYDROXIDE

LC50 Fish 96h: 189 mg/L

EC50 Water flea (*Ceriodaphnia spec.*) 48h: 40.4 mg/l

12.2. Persistence and degradability

The product contains certain components which are easily degradable.

12.3. Bioaccumulative potential

No information is available.

12.4. Mobility in soil

No information is available.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances that are assessed to be a PBT or a vPvB.

12.6. Endocrine disrupting properties

The product does not contain any substances identified as having endocrine disruptive properties in accordance with the criteria set out in (EU) 2017/2100 or (EU) 2018/605.

12.7. Other adverse effects

The product is alkaline and may elevate pH locally, if released into water.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste handling of the product

Avoid discharge into sewers.

Discarded products must be disposed of as hazardous waste in accordance with regulations.

Not completely emptied packaging can contain remnants of dangerous substances and should therefore be handled as hazardous waste according to the above. Completely emptied packaging can be recycled.

See directive 2008/98/EC on waste. Observe national or regional provisions on waste management.

SECTION 14: Transport information

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road), RID (railway), ADN (inland waterways), IMDG (sea), and ICAO (IATA) (air).

14.1. UN number or ID number

Not classified as dangerous goods

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

14.8 Other transport information

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents.

15.2. Chemical safety assessment

Assessment and chemical safety report in accordance with 1907/2006 Annex I has not yet been performed.

SECTION 16: Other information

16a. Indication of where changes have been made to the previous version of the safety data sheet

Revisions of this document

Earlier versions

2026-05-06 Changes in section(s) 1.

16b. Legend to abbreviations and acronyms used in the safety data sheet

Full texts for Hazard Class and Category Code mentioned in section 2 and 3

Acute Tox. 4 Acute toxicity (oral), Hazard Category 4 - Acute Tox. 4, H302 - Harmful if swallowed

Eye Dam. 1 Serious eye damage/eye irritation, Hazard Category 1 - Eye Dam. 1, H318 - Causes serious eye damage

Skin Irrit. 2 Skin corrosion/irritation, Hazard Category 2 - Skin Irrit. 2, H315 - Causes skin irritation

Met. Corr. 1 Corrosive to metals, Hazard Category 1 - Met. Corr. 1, H290 - May be corrosive to metals

Skin Corr. 1A Skin corrosion/irritation, Hazard Category 1A - Skin Corr. 1A, H314 - Causes severe skin burns and eye damage

Explanations of the abbreviations in Section 14

ADR European Agreement concerning the International Transport of Dangerous Goods by Road

RID Regulations concerning the International Transport of Dangerous Goods by Rail

IMDG International Maritime Dangerous Goods Code

ICAO International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec H3C 5H7, Canada)

IATA The International Air Transport Association

16c. Key literature references and sources for data

Sources for data

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list, 1272/2008 Annex I, as updated to 2026-09-14.

Where such data was not available, alternative documentation used to establish the official classification was used, e.g. IUCLID (International Uniform Chemical Information Database). As a second alternative, information was used from reputable international chemical industries, and as a third alternative other available information was used, e.g. material safety data sheets from other suppliers or information from non-profit associations, where reliability of the source was assessed by expert opinion. If, in spite of this, reliable information could not be sourced, the hazards were assessed by expert opinions based on the known hazards of similar substances, and according to the principles in 1907/2006 and 1272/2008.

Full texts for Regulations mentioned in this Safety Data Sheet

1907/2006 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing

Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

1272/2008 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

648/2004 REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents

2008/98/EC DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives

16d. Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification

Hazard calculation for this mixture has been performed as a cumulative assessment with the aid of expert assessments in accordance with 1272/2008 Annex I , where all available information which may be significant to establishing the hazards of the mixture was assessed together, and in accordance with 1907/2006 Annex XI .

16e. List of relevant hazard statements and/or precautionary statements

Full texts for hazard statements mentioned in section 3

H302 Harmful if swallowed

H318 Causes serious eye damage

H315 Causes skin irritation

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage

16f. Advice on any training appropriate for workers to ensure protection of human health and the environment

Warning for misuse

Not indicated.

Other relevant information

Not indicated

Editorial information



This material safety data sheet has been prepared and checked by KemRisk®, KemRisk Sweden AB, Platensgatan 8, SE-582 20 Linköping, Sweden, www.kemrisk.se